

Kocsányos tölgy rönk / Stieleiche / Quercus robur
22. Tétel / 22. Posten

Ssz. / Lfd.Nr.	Hossz / Länge cm	Csúcs-/Zopf-Ø cm	m ³	Bemutató helye/ Besichtigungsort	Minőség Güteklasse
15895	400	42	0,615	Debrecen 6/D	II. / AB-B
15896	400	33	0,391	Debrecen 6/D	II. / AB-B
15897	400	33	0,391	Debrecen 6/D	II. / AB-B
15898	400	32	0,369	Debrecen 6/D	II. / AB-B
15899	400	36	0,460	Debrecen 6/D	II. / AB-B
15900	400	43	0,643	Debrecen 6/D	II. / AB-B
15901	350	43	0,556	Debrecen 6/D	II. / AB-B
15902	320	39	0,418	Debrecen 6/D	II. / AB-B
15903	400	39	0,535	Debrecen 6/D	II. / AB-B
15904	400	50	0,858	Debrecen 6/D	II. / AB-B
15905	400	41	0,588	Debrecen 6/D	II. / AB-B
15906	400	33	0,391	Debrecen 6/D	II. / AB-B
15907	400	43	0,643	Debrecen 6/D	II. / AB-B
15908	400	42	0,615	Debrecen 6/D	II. / AB-B
15909	400	39	0,535	Debrecen 6/D	II. / AB-B
15910	280	38	0,344	Debrecen 6/D	II. / AB-B
15911	400	39	0,535	Debrecen 6/D	II. / AB-B
15912	350	33	0,336	Debrecen 6/D	II. / AB-B
15913	350	43	0,556	Debrecen 6/D	II. / AB-B
15914	400	37	0,484	Debrecen 6/D	II. / AB-B
15915	400	33	0,391	Debrecen 6/D	II. / AB-B
15916	300	32	0,267	Debrecen 6/D	II. / AB-B
15917	300	35	0,317	Debrecen 6/D	II. / AB-B
15918	300	36	0,335	Debrecen 6/D	II. / AB-B
15919	300	41	0,429	Debrecen 6/D	II. / AB-B
15920	400	55	1,048	Debrecen 6/D	II. / AB-B
15921	300	52	0,688	Debrecen 6/D	II. / AB-B
15922	300	43	0,470	Debrecen 6/D	II. / AB-B
15923	300	41	0,429	Debrecen 6/D	II. / AB-B
15924	250	45	0,423	Debrecen 6/D	II. / AB-B
15925	250	31	0,202	Debrecen 6/D	II. / AB-B
15926	250	33	0,232	Debrecen 6/D	II. / AB-B
15927	330	42	0,498	Debrecen 6/D	II. / AB-B
15928	380	46	0,692	Debrecen 6/D	II. / AB-B
15929	250	34	0,246	Debrecen 6/D	II. / AB-B
15930	250	39	0,320	Debrecen 6/D	II. / AB-B
15931	290	61	0,903	Debrecen 6/D	II. / AB-B
15932	300	33	0,284	Debrecen 6/D	II. / AB-B
15933	250	46	0,441	Debrecen 6/D	II. / AB-B
15934	250	48	0,479	Debrecen 6/D	II. / AB-B
15935	300	60	0,907	Debrecen 6/D	II. / AB-B
Összesen:			20,264		



Kocsányos tölgy rönk / Stieleiche / Quercus robur
22. Tétel / 22. Posten

Ssz. / Lfd.Nr.	Hossz / Länge cm	Csúcs-/Zopf-Ø cm	m ³	Bemutató helye/ Besichtigungsort	Minőség Güteklasse
15936	250	33	0,232	Debrecen 6/D	II. / AB-B
15937	250	34	0,246	Debrecen 6/D	II. / AB-B
15938	400	35	0,436	Debrecen 6/D	II. / AB-B
15939	330	42	0,498	Debrecen 6/D	II. / AB-B
15940	400	48	0,793	Debrecen 6/D	II. / AB-B
15941	350	40	0,484	Debrecen 6/D	II. / AB-B
15942	300	49	0,605	Debrecen 6/D	II. / AB-B
15943	400	37	0,484	Debrecen 6/D	II. / AB-B
15944	260	47	0,479	Debrecen 6/D	II. / AB-B
15945	360	45	0,625	Debrecen 6/D	II. / AB-B
15946	350	40	0,484	Debrecen 6/D	II. / AB-B
15947	350	45	0,606	Debrecen 6/D	II. / AB-B
15948	350	54	0,874	Debrecen 6/D	II. / AB-B
15949	610	32	0,604	Debrecen 6/D	II. / AB-B
15950	600	35	0,697	Debrecen 6/D	II. / AB-B
15951	400	33	0,391	Debrecen 6/D	II. / AB-B
15952	300	32	0,267	Debrecen 6/D	II. / AB-B
15953	590	38	0,793	Debrecen 6/D	II. / AB-B
15954	400	35	0,436	Debrecen 6/D	II. / AB-B
15955	400	33	0,391	Debrecen 6/D	II. / AB-B
15956	410	33	0,402	Debrecen 6/D	II. / AB-B
15957	290	35	0,306	Debrecen 6/D	II. / AB-B
15958	350	42	0,531	Debrecen 6/D	II. / AB-B
15959	350	54	0,874	Debrecen 6/D	II. / AB-B
15960	350	46	0,632	Debrecen 6/D	II. / AB-B
15961	300	38	0,371	Debrecen 6/D	II. / AB-B
15962	300	30	0,231	Debrecen 6/D	II. / AB-B
15963	300	41	0,429	Debrecen 6/D	II. / AB-B
15964	400	42	0,615	Debrecen 6/D	II. / AB-B
15965	400	30	0,316	Debrecen 6/D	II. / AB-B
15966	400	45	0,702	Debrecen 6/D	II. / AB-B
15967	400	45	0,702	Debrecen 6/D	II. / AB-B
15968	400	45	0,702	Debrecen 6/D	II. / AB-B
15969	350	30	0,273	Debrecen 6/D	II. / AB-B
15970	500	60	1,581	Debrecen 6/D	II. / AB-B
15971	400	47	0,762	Debrecen 6/D	II. / AB-B
15972	400	35	0,436	Debrecen 6/D	II. / AB-B
15973	290	44	0,474	Debrecen 6/D	II. / AB-B
15974	400	34	0,413	Debrecen 6/D	II. / AB-B
15975	250	67	0,927	Debrecen 6/D	II. / AB-B
15976	400	33	0,391	Debrecen 6/D	II. / AB-B
Összesen:			22,495		



Kocsányos tölgy rönk / Stieleiche / Quercus robur

22. Tétel / 22. Posten

Ssz. / Lfd.Nr.	Hossz / Länge cm	Csúcs-/Zopf-Ø cm	m ³	Bemutató helye/ Besichtigungsort	Minőség Güteklasse
15977	600	32	0,593	Debrecen 6/D	II. / AB-B
15978	350	41	0,508	Debrecen 6/D	II. / AB-B
15979	260	51	0,562	Debrecen 6/D	II. / AB-B
15980	250	43	0,387	Debrecen 6/D	II. / AB-B
15981	600	36	0,733	Debrecen 6/D	II. / AB-B
15982	400	38	0,509	Debrecen 6/D	II. / AB-B
15983	500	46	0,936	Debrecen 6/D	II. / AB-B
15984	350	42	0,531	Debrecen 6/D	II. / AB-B
Összesen:			4,759		
Mindösszesen:			47,518		

